SC Department of Natural Resources

1000 Assembly Street, Room 242-D P.O. Box 167 Columbia, SC 29202 (Return quote to the above address.)

Deloris Sweeper, Procurement Specialist

Phone: (803)734-4036 Fax: (803)734-5973 E-mail: Sweeperd@dnr.sc.gov

http://www.dnr.sc.gov/admin/procure/bulletin.html

REQUEST FOR QUOTATION

Return Quote No Later Than: 11:00 A.M.	Quote Number: Q007215
March 16, 2007	

Title:

26' x 10' Work Boat and Trailer

Mailing Date: February 23, 2007	Direct Inquiries to: Deloris Sweeper
William T. Pace, Jr., CPPO Dir. of Procurement Serv.	Req. Number: 007215
Vendor Name:	FEIN or Social Security Number
Vendor Mailing Address:	Reason for no quote:
City, State, Zip:	Telephone Number: Fax Number: E-mail Address: Internet Address:
Authorized Signature (Manual):	Authorized Signature (Typed), Title:

Upon Receipt, the vendor should submit a quotation in the manner indicated below. The closing date/time specified above is the time by which a quotation is required. A public opening will not be held for quotations.

Delivery Point: Deliver supplies/services FOB destination to the following address unless specified differently elsewhere herein: **SCDNR**, **Santee Coastal Reserve**, **220 Santee Gun Club Road**, **McClellanville**, **SC 29458**.

Requested Delivery Time: 30 Day ARO

MUST BE SIGNED TO BE VALID

We hereby agree to furnish items and/or services for which prices are listed in accordance with any attached specifications

Quote number and closing date must be shown on envelope

**Quotes under \$10,000.00 may be faxed. **

Do not include any taxes in the quotation price(s).

Quotation Acceptance period: In compliance with the quotation, and subject to all conditions thereof, the signer offers and agrees, if this quotation is accepted within ______days from the date of closing, to furnish any or all items/services quoted at the prices set forth. Acceptance period will be thirty (30) days unless specified otherwise above.

IMPORTANT SC RVP & SC/US Preferences

SC Resident vendor Preference

I certify that I am a resident vendor meeting all qualifications as defined in Section 11-35-1524 of the SC Consolidated Procurement Code and hereby request the preference be exercised on my behalf in the consideration of award of this quote.

*In order to make claim for this preference in the award of this quote, the person signing the quote must place their initials here

*Address and phone number of SC office. (Must be completed if making claim)

_______.

SC/US Made, Manufactured or Grown End-Product Preference

*By signing quote and checking the appropriate space(s) provided and identified on the quote pricing schedule, vendor certifies that the end product(s) as shown in this quote are either made, manufactured or grown in South Carolina or other States of the United States, ref: 11-35-1524. The preference does not apply to services.

Note: These do not apply to a vendor of goods, whether in quantity or not, when the price of a single unit is more than \$30,000.00, or to quote awards less than \$10,000.00.

Notice: Important information pertaining to preferences.

*If a vendor has not requested the preferences he will neither be entitled to claim any preference against another vendor nor will he be protected from application of another quote's claim to a preference against his quote in determining contract award.

INSTRUCTIONS TO QUOTERS

Tie quotations will be resolved as outlined in Section 11-35-1520(9) (A) - (D) of the South Carolina Consolidated Procurement Code.

Right to protest under Section 11-35-4210(1) of the Consolidated Procurement Code does not apply. Re: Small purchases (less than \$25,000 in actual or potential value) Section 11-35-1550(3).

Unless otherwise stated, all prices must be firm.

Do not include any taxes in the quotation price(s).

Quotation Rejection/Cancellation: The State of South Carolina reserves the right to reject any or all quotes and to cancel the quotation.

Unit Price Governing: Unit price will govern over extended price unless otherwise stated in the request for quotation.

Quotation Amendments: All amendments to and interpretations of this quotation shall be in writing from the procurement officer of the Department of Natural Resources. The procurement officer shall not be legally bound by any amendment or interpretation that is not in writing.

GENERAL CONTRACT CLAUSES

Default: In case of default by the contractor, the State reserves the right to purchase any or all items in default in the open market, charging the contractor with any additional costs. The defaulting contractor shall not be considered a responsible vendor until the assessed charge has been satisfied.

Indemnification: Contractor shall indemnify and save harmless the State, its officers, agents, and employees from all suits or claims of any character brought by reason of infringing on any patent, trademark or copyright.

Protection of Human Health and the Environment: The State of South Carolina requires all contractual activities to be in compliance with local, state, and federal mandates concerning "Protection of Human Health and the Environment". Any contractor doing business with the State will be required to document compliance and to specify prudent practices used by the contractor to address applicable mandates including, but not restricted to, "The Hazard Communication Standard" OSHA CFR 1910.1200 (SCRR Article 1,71-1910.1200). By submission of this quote, the vendor agrees to take all necessary steps to ensure compliance with these requirements.

Payment of Goods & Services: Payment of goods and services received by the State shall be processed in accordance with section 11-35-45 of the South Carolina Procurement Code.

SPECIAL PROVISIONS

Acquisition Instructions: Furnish and deliver work boat and trailer complying with the enclosed description and/or specifications and conditions as applicable to this quote notice.

Quoting Instructions: The specifications listed herein are not to be considered restrictive to one source of supply. However, items offered must be equal in quality and performance. The offeror must include with his quote, supporting product data sufficient for the State to determine equality and acceptability. The right is reserved to reject any offering in which the items offered are considered unsatisfactory in any manner. The State will determine if minor deviations from the listed features are acceptable.

Evaluation/Award: Award will be made to one vendor for entire quantity.

Warranty: Manufacturer's standard warranty will be required in writing with delivery of product.

IMPORTANT NOTICE

Bidder/Offeror

Re: S.C. Withholding Tax Amendments Code Section 12-9-310(A)(2)(3)

Effective July 1, 1994, Section 49, Appropriation Bill, Part II amended the above referenced code section to eliminate withholding from payments to nonresident contractors and rental recipients if the nonresident is registered or registers with the S.C. Department of Revenue or the S.C. Secretary of State's Office. The nonresident must provide an affidavit to whomever they are contracting with to that effect.

The entity or person letting the contract to the nonresident will retain the affidavit. In the absence of an affidavit being provided, withholding will be required (contracts-2%, rental or royalty recipients-7% for corporations, or 5% for individuals and partnerships).

The filing of the affidavit affirming registration by the nonresident eliminates the requirement to withhold by those letting contracts to nonresident as well as the posting of the surety bond by the nonresident. Enclosed is an affidavit and instructions to be used when contracting with nonresidents.

Forms to register for all taxes administered by the South Carolina Department of Revenue may be obtained by calling the License and Registration Section at (803) 898-5872 or writing the S.C. Department of Revenue, Registration Unit, Columbia, S.C. 29214-0140.

INSTRUCTIONS

NONRESIDENT TAXPAYER REGISTRATION AFFIDAVIT

REQUIREMENTS TO MAKE WITHHOLDING PAYMENTS

Code Section 12-9-310(A)(3) requires persons hiring or contracting with a nonresident taxpayer to withhold 2% of each payment made to the nonresident where the payments under the contract exceed \$10,000.00 in any one calendar year.

Code Section 12-9-310(A)(2) requires persons making payment to a nonresident taxpayer of rentals or royalties at a rate of \$1,200.00 or more a year for the use of or for the privilege of using property in South Carolina to withhold 7% of the total of each payment made to a nonresident taxpayer who is not a corporation and 5% if the payment is made to a corporation.

PURPOSE OF AFFIDAVIT

A person is not required to withhold taxes with regard to any nonresident taxpayer who submits an affidavit certifying that it is registered with either the South Carolina Secretary of State or the South Carolina Department of Revenue.

TERM AND DURATION OF AFFIDAVIT

It is recommended that an affidavit be obtained from a nonresident taxpayer for each separate contract or agreement. Otherwise, the affidavit submitted by a nonresident taxpayer shall remain in effect for a period of three (3) years, or for a lesser time if the person earlier receives notice of revocation of exemption from withholding from the South Carolina Department of Revenue.

STATE OF SOUTH CAROLINA DEPARTMENT OF REVENUE NONRESIDENT TAXPAYER REGISTRATION AFFIDAVIT INCOME TAX WITHHOLDING

The undersigned nonresident taxpayer on oath, being first duly sworn, hereby certifies as follows:

1.	Owner, Partner(s) or Corporate Name of Nonresident Taxpayer:					
2.	. Trade Name (Doing Business As):					
3.	. Mailing Address:					
4.	Federal Identification Number:					
5.	Hiring or Contracting with: Name: Address:					
	Receiving Rentals or Royalties From: Name: Address:					
	Audicos.					
6.	I hereby certify that the above named nonresident taxpayer is currently registered with (check the appropriate statement below): The South Carolina Secretary of State or The South Carolina Department of Revenue Date of Registration:					
7.	I understand that by this registration, the above named nonresident taxpayer has agreed to be subject to the jurisdiction of the South Carolina Department of Revenue and the courts of South Carolina to determine its South Carolina tax liability, including estimated taxes, together with any related interest and penalties.					
8.	. I understand the South Carolina Department of Revenue may revoke the withholding exemption granted under Code Section 12-9-310 at any time it determines that the above named nonresident taxpayer is not cooperating with the Department in the determination of its correct South Carolina tax liability.					
Th	e undersigned understands that fine; imprisonment or both could punish any false statement contained herein.					
	cognizing that I am subject to the criminal penalties under Code Section 12-54-40(b)(6)(f)(5), I declare that I have examined this idavit and to the best of my knowledge and belief, it is true, correct and complete.					
	(Seal)					
(Si	gnature of Owner, Partner or Corporate Officer) Date					
If (Corporate officer state title:					
(N	ame - Please Print)					

Internet Accessibility, Release of Copyright and Publishing Rights

It is the intent of the Department of Natural Resources to provide resource information to Department employees, vendors and the general public through the Department's Web Page. This information is featured in the "Doing Business with DNR" section of the web page. From time to time, product information, product literature and photographs of products may be used to further emphasize the Department's mission or to emphasize or introduce a certain product to our employees that may be under contract.

The execution of this document, your firms signature, hereby authorizes and gives permission to the Department of Natural Resources to utilize product literature, photographs and product information as necessary to disseminate this information to its web users.

At times, the Department may request digital prepared photographs (data saved to disk that can be uploaded to the web server) and literature formatted for web publication that your firm has readily available and may be currently using in its own web site. This information will be provided to the department at no cost.

The successful bidder shall indemnify and save harmless the State of South Carolina and all State officers, agents, and employees, from all suits of claims of any character brought by reason of infringing on any patent, trade mark or copyright. Bidder shall have no liability to the State if such patent trademark or copyright infringement or claim is based upon the States' use of material furnished to the State by the bidder.

Bidder is in agreement with the terms and conditions of this copyright release by the execution of this document by the representative company official below:

		(Seal)	
(Signature of Owner, Partner or Corporate Officer)	Date		
If Corporate Officer state title:			
(Name - Please Print)			
My company is not currently represented on the literature, photographs for your agency use. I have		for I wish not to participate in exchanging company product d below by reasons.	
Wish not to participate			
Not currently represented			
Please Check Which Applies.			

South Carolina Department Of Natural Resources

Specifications of 26' x 10' Bull Nose Work Boat and Trailer Representative Model: Stanley Custom Boats Work Boat

By naming a manufacturer it is not the intention to deter competitive bidding, the purpose is to identify and establish a satisfactory level of quality and a competent model for the State.

The specifications herein describe the requirements for current production model semi-open wheelhouse aluminum work boat and fitted trailer to be utilized in the SCDNR Wildlife Management Section in the coastal and fresh waters throughout South Carolina. This boat will be utilized for marine tasks, transporting atv, rtv (loaded with 100 gallons of fuel) and an argo, transporting recreational public hunters, pushing barges, and assisting in Law Enforcement operations where operator safety, seaworthiness, stability, and the employees ability to perform above duties are prime concern.

Productions Requirement:

The vessel described by this specification shall be the manufacturer's latest production model and shall be equipped in accordance with the manufacturer's latest literature. A copy of the literature must accompany the bid along with written documentation that might be necessary to ensure that the vessel will meet or exceed each and every specification. Bidder shall list all exceptions to these specifications, no matter how slight. Failure to do so will be interpreted to mean that the bidder intends to meet all specifications contained in the solicitation.

Hull Specifications:

Draft: 12" Length: 26'

Bottom Width: 9' or with straight sides closer to 10'

Beam: (approximately) 10' Side Depth: 36" (chine to gunnel)

Max Weight: 3800 lbs

Horsepower Rating: 135-400 HP (Boats will be rigged with twin 200HP motors.)

<u>Hull Construction</u>: ½" #5083 marine grade aluminum bottom, 3/16" #5083 sides, ½" #5083 transom, full hull extension x beam with full o/b motor well. Heavy extrusion framing vertical, horizontal, longitudinal.

<u>Flooring:</u> 3/16" 5-bar self-draining; Airtight double bottom/pressure checked for leaks; Floor to be solid welded to sides, slot welded to ribs with a tack patter 8" gap and 3" of weld, consistent throughout the hull: Hull welded at seams inside and outside.

Gunwale Rails: 8" 5-bar pattern gunwale rails around the perimeter of the inside of the hull and 2" schedule 40 half pipe towards outside.

<u>Transom:</u> ¼" with two 4" x 1.80 aluminum channels for support designed for twin 25" motor shaft: 2" Angle stand-off brackets welded to transom for bolting motors to, and to eliminate thru-hull bolts.

Longitudinal (Length of the Hull):

Multi 3/16" plate bulkheads forming air tight compartments from hull to deck.

2" x 3/8" flat bar stringers running the length of the boat between each corrugation, welded with tack patter on 8" gap and 3" of weld on each side of flat bar stringers.

1" solid round bar center keel.

Transverse (Width of the Hull):

2" x 3" x 3/16" angle on 16" centers coped over the stringers.

3/16" plate connecting angles, keel plate, and tubing together on 16" centers.

Floor Plan:

- 80 gallon aluminum fuel tank (vented) located beneath raised deck under wheelhouse.
- 4" Heavy duty rubber knees located port and starboard with 72" between each knee.
- Each knee will be 3' in length and adjustable in height.
- Full o/b motor well.
- Storage Hatches: All storage compartments to be for dry storage with aluminum hatch lids with rubber gaskets flush with deck and

a drain plug for draining.

- Bow Ramps: 72" wide inside built-in ramps with steps (24" wide) between ramps. The ramp run should be approximately 3 feet. These ramps will be used to load/unload ATV's onto the cargo deck.
- Seats along sides: There will be built in seats/storage boxes (3/16" aluminum) along each side of the boat. Seat dimensions are: 15" high, 13" wide and 10' long. Opening to the top.
- Removable safety rails on the gunnels located next to seats (10' long) and extending 15" above gunnels.
 - Step/storage boxes: There will be a step box (3/16 aluminum) at each end of each side seat (4 total) measuring 13" wide (flush with seat) and 8" high. These will also be storage boxes with access on the top. The two step boxes at the stern end of the side seat will also be adjacent to the raised deck and measure 30" long. The two step boxes near the bow of the side seats will be 24" long. These step boxes will be used to access the gunnel for loading/offloading of passengers and/or access to raised deck/wheelhouse from cargo deck. The safety rails (along raised deck and back of seats) on the gunnels should not block access to these four step boxes.
- Cargo deck: the minimum cargo deck dimensions will be 6.5' wide (between side seats) by 15' long (between the ramp bottoms and raised deck) and approximately 15" below the gunnels.
- -6 Cargo Tie-Down Lugs, grounding package, 6-8" welded-on mooring cleats, towing bollard.
- -2 padies on top of gunnels (port and starboard sides, midship) constructed with ½ inch aluminum with ¾ inch hole.

Raised deck:

There will be a raised deck (3/16" tread plate, aluminum) the height of the gunnels, the entire width of the beam and 5 feet toward the bow from the motor well. The raised deck will have storage underneath with hatches to be flush with deck surface. The storage boxes to have a drain plug. Safety Rails: 270 degree removable safety rail 30" high surrounding raised rear deck quarter, rail designed to mount into recessed deck sockets.

Wheelhouse:

- 1/8" aluminum open 6' x 5' wheelhouse (or custom size) with 5/8" aluminum grab rails.
- 1/4" Lexan windshield (shading very light and/or the windshield should have the ability to be taken out). Angled to avoid glare.
- Two Captain's chairs that fit into recessed sockets in raised deck to allow them to be taken out.
- Steering wheel and controls off-center in front of starboard side chair.
- Roof (1/8 aluminum) will be 78" high from raised deck.

Floor Plan Summary:

This summary will attempt to clarify the locations and sizes of the above specifics of the floor plan. Please envision the dimensions moving from stern to bow (26' total). Motor well (2'), raised deck (5'), cargo deck (15'), bow ramp (3'), which leaves 1' as surplus and can be added to the cargo deck. The cargo deck, along each side, will have (from stern to bow) a 2.5' step box, 10' seat and a 2'step box which leaves 6" between the bow step box and the bottom of the bow ramp. If the cargo deck is more than 15' long then the distance between the bow step box and bow ramp should be more than 6".

Please envision the dimensions moving from side to side (10' total). From a top view of the boat ½ way between the bow and raised deck, from side to side, the dimensions are: Gunnel (8"), seat (13"), cargo deck 78", seat (13") and gunnel (8").

Foam Option:

Foam filled double bottom.

Paint: Quality marine grade primer first followed by quality marine grade dead grass brown/camouflage color outer paint.

Rigging Requirements:

- Navigation lights: Vertical side mounted lights on open wheelhouse and white all-around light to be mounted on top of open wheelhouse
- There will be a 2 fore flood lights, 1 starboard, 1 port and one aft (5 total) each mounted under overhang on wheelhouse with individual switches.
- There will be one roof mounted spot light that is moveable with the handle located under the roof of the wheelhouse.
- Automatic Bilge Pump: 2,500 gal/hr with manual override
- Fuel system: (fittings, valves, and water separator) Remote fuel gauge in console / 80 gal fuel tank
- Gauges to accommodate twin Yamaha 200 hp EFI Saltwater Outboard Motors: fuel, tachometer, battery voltage indicator, water temperature, trim

- All panel gauges to be lit with a rheostat dial control
- Two 12 Volt Power Sockets in Console
- Steering: Sea Star Hydraulic Steering with Tilt Steering Head
- Batteries: Two 650 amp Marine Cranking Batteries & Two Tempo Battery Cases w/
- Hydraulic Trim Tabs: Double cylinder suitable for transom & hull configuration
- All Stainless Steel Hardware

Manufacturer's Standard Features:

Offers to the State utilizing standard production models normally offered to the recreational user with standard manufactured features or equipment offered at no additional cost to the user, will also be provided to the State even though standard features were not identified in the solicitation.

Outboard Motor Drop Shipment To Vendor:

This boat will require a current production model twin Yamaha Outboard Motors, 200 hp, electric start, power trim and tilt, stainless steel propeller. The motors will be purchased and drop shipped to the successful vendor to be installed and tested for proper operation. Vendor will be responsible for providing a stainless steel propeller properly pitched, binnacle control, and water tested, all the necessary parts, components and accessories needed for the complete installation of these engines. Vendor will exercise care in the installation of the two outboard motor to insure a thoroughly workmanlike manner in accordance with the best modern practice as demonstrated and adhered to in the marine industry.

Marine Standards and Regulations:

All work shall comply with all State and Federal laws, ordinances and regulation governing the marine industry. These requirements supplement the specifications and shall take precedence in case of conflict. All materials and equipment shall be new and shall comply with the applicable standard in every case where such a standard has been established for the particular type of material or equipment in question.

Electrical Requirements:

All electrical circuit systems shall be in accordance with ABYC-E9 standards. Waterproof circuit breakers with indicator lights with switch activated controls console mounted. All switches shall be properly labeled for identification. All electrical connections shall be soldered and heat shrunk wrapped.

Package Requirement:

It is the intent of this specification to provide one package rig consisting of boat, trailer and motors. The motors will be purchased by SCDNR and drop shipped to the successful vendor. The rig shall be delivered to the specified delivery point fully rigged, engines and boat tested and all accessories installed (no missing parts) unless specified other wise. Any other offering or shipment missing parts will be rejected at delivery.

Rigging

Rigging is to be performed by the successful vendor. The vendor shall furnish and provide any and all labor and other materials required to complete the job which includes and is not limited to:

- 1. Install engines in full compliance with the engine manufacturer's recommendations. All transom holes drilled for engine installation must be thoroughly sealed from moisture.
- 2. Install mount and adjust controls and linkage as per engine manufacturer's recommendations.
- 3. Install battery or batteries and batter boxes, isolator switch and all required electrical hook-ups.
- 4. Install gauges and all required wiring in accordance with specifications provided and identified in this solicitation.
- 5. Fill VRO tank with engine manufacturer's recommended oil TCW III. (Where Applicable)
- 6. Fill fuel tank with not less than 92 octane unleaded fuel and manufacturer's recommended mixture of TCW III break-in oil. (Where Applicable)
- 7. Water test boat and engines. Tests to include: all operational and performance features. Adjust and correct and deficiencies.
- 8. Successful vendor will provide a signed statement and checklist with each boat delivered indicating that the boats performance and operational features have been thoroughly checked and are in first class operational condition and the name and date of the individual conducting the water test. The Department may also water test boat before accepting delivery.
- 9. Boat to be washed and cleaned before delivery

Boat Trailer:

The boat trailer used for the above 26' x 10' "bullnose" pusher boat will be constructed using the following specifications:

- -overall length of 32' to 34' and width of 8' 6".
- -9,500 pound GVWR
- -tandem 5,200 pound torsion axels
- -12" disc hydraulic surge brakes on both axels
- -6 lug hub

- -225/75R15 tires (5 total, 4 on hubs and one spare) on galvanized rims
- -2 5/16" ball hitch
- -6 ½" aluminum frame
- -4 3" x 3" aluminum cross members spaced evenly
- -3" x 10" cypress glides
- -winch on aluminum stand with poly stop
- -step on aluminum fenders
- -steps mounted on trailer to access bow of boat
- -spare tire mount on steps or winch stand
- -all stainless hardware
- -submersible lights with waterproof connectors

The boat trailer must fit the described boat and ease of loading and unloading boat from trailer is a concern. The center of gravity of the boat must be determined and the axels placed on the frame in a location that balances the boat weight properly.

Required Delivery:

45 Days ARO

Delivery Point:

SC Department of Natural Resources Santee Coastal Reserve 220 Santee Gun Club Road McClellanville, SC 29458 Phone #843-546-8665

PRICING SCHEDULE

LINE ITEM	COMMODITY/SERVICE DESC	QTY.	U/M	sc	US	UNIT PRICE	EXTENDED PRICE
0001	Current production Model 26' x 10' Boat Per Attached Quote Specifications.	1	Ea.			\$	\$
0002	Current Production Model Trailer Per Attached Quote Specifications.	1	Ea.			\$	\$
	Total Price					\$	\$

DELIVERY	DAYS ARO
MFG	MODEL
INITIAL WARRANTY	DAYS PARTS DAYS LABOR